

APPENDIX 3

**OBSERVED SEA TURTLE
CAPTURES IN THE U.S.
ATLANTIC PELAGIC LONGLINE
FISHERY, 1999-2000**

Cynthia Yeung

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear additional comments
											hook removed	entangled			
W07	10	21	1999	39	53	69	51	Leatherback	alive, injured	beak/mouth	0	0	2	150	hooked in mouth
W07	10	21	1999	39	53	69	51	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	2	60	swallowed hook
W07	10	23	1999	38	37	72	48	Loggerhead	alive, injured	head/neck (external)	0	0	2	65	hooked on side of mouth
W07	10	23	1999	38	37	72	48	Leatherback	alive, injured	unknown beak/mouth	1	0	0	150	spit hook of of mouth
W07	10	26	1999	39	54	70	34	Loggerhead	alive, injured	beak/mouth	0	0	1	80	hooked in tongue
W07	10	28	1999	39	25	69	31	Leatherback	alive, injured	not hooked		1	0	125	wrapped in mainline,untangled by crew
W07	10	31	1999	39	49	69	53	Loggerhead	fresh dead	beak/mouth		0	0	57	hooked in mouth
W07	11	1	1999	39	43	70	9	Loggerhead	alive, injured	beak/mouth	0	0	0	60	hooked in mouth,only hook left
W08	11	26	1999	37	43	74	4	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	4	60	swallowed hook
W08	11	27	1999	37	41	74	4	Loggerhead	alive, injured	beak/mouth	1	0	0	55	spit hook out of mouth, dove immediately,no gear attached
R02	12	4	1999	35	43	74	44	unknown	alive, injured	beak/mouth	0	0	5	150	hooked in mouth
S20	11	25	1999	25	19	89	34	Leatherback	alive, injured	flipper	0	0	2	180	hooked in left front flipper
S20	11	30	1999	24	14	83	52	Loggerhead	alive, injured	beak/mouth	0	0	2	140	hooked in mouth
P50	11	13	1999	26	36	92	28	unknown	alive, injured	beak/mouth	0	0		120	line cut short, hook in side of mouth,original id was hawksbill, but improbable
T44	4	23	1999	32	39	72	49	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	120	hooked in throat
T44	4	23	1999	32	39	72	49	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	70	hook in throat
F67	6	15	1999	32	13	78	23	Leatherback	alive, injured	flipper	0	0	6	152	hooked in flipper
F67	6	15	1999	32	13	78	23	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	48	hooked in mouth
T45	6	1	1999	32	29	78	5	Leatherback	alive, injured	flipper	0	1	48	182	hook location unknown,excellent condition
S14	5	30	1999	39	52	54	52	Loggerhead	alive, injured	unknown beak/mouth	1	0	0	56	Lip hooked, hook removed, released in excellent condition
S14	5	30	1999	39	52	54	52	Loggerhead	alive, injured	flipper	1	0	0	65	hooked right pectoral fin, excellent condition
S14	5	30	1999	39	52	54	52	Loggerhead	alive, injured	unknown beak/mouth	0	0	0	60	mouth hooked,released in good condition
S14	6	3	1999	41	36	51	25	Leatherback	alive, uninjured	unknown other	0	1	12	170	
S14	6	10	1999	42	22	51	27	Loggerhead	alive, injured	unknown beak/mouth	0	0	2	140	mouth hooked
S14	6	13	1999	41	10	51	24	Leatherback	alive, injured	flipper	0	0	15	200	right front flipper snagged

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear additional comments
											hook removed	entangled			
S14	6	16	1999	41	51	50	20	Leatherback	alive, injured	unknown beak/mouth	0	0		179	mouth hooked, some line left in with hook
S14	6	16	1999	41	51	50	20	Loggerhead	alive, injured	unknown beak/mouth	0	0		100	mouth hooked, some line left in with hook
S14	6	16	1999	41	51	50	20	Leatherback	alive, injured	unknown beak/mouth	0	0		180	mouth hooked, some line left in with hook
S14	6	17	1999	42	1	50	25	Loggerhead	alive, injured	unknown beak/mouth	0	0	4	90	mouth hooked
S14	6	18	1999	41	59	50	24	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	3	80	hook swallowed
S14	6	18	1999	41	59	50	24	Loggerhead	alive, injured	unknown beak/mouth	0	0	2	65	mouth hooked
S14	6	18	1999	41	59	50	24	Loggerhead	alive, injured	unknown beak/mouth	0	0	4	80	mouth hooked
S14	6	18	1999	41	59	50	24	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	4	100	swallowed hook
S14	6	18	1999	41	59	50	24	Loggerhead	alive, injured	unknown beak/mouth	0	0	0	80	mouth hooked
S14	6	19	1999	42	3	50	22	Loggerhead	alive, injured	unknown beak/mouth	0	0	10	70	mouth hooked
S14	6	20	1999	42	14	50	44	Loggerhead	alive, injured	unknown beak/mouth	0	0		120	mouth hooked, seemed in very bad shape
S14	6	22	1999	42	24	50	48	Leatherback	alive, injured	flipper	0	0		200	tail? hooked, swam off strong
S14	6	22	1999	42	24	50	48	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0		90	hook swallowed
S14	6	23	1999	42	24	50	38	Loggerhead	alive, injured	flipper	0	0		90	tail hooked
S14	6	23	1999	42	24	50	38	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0		90	hook swallowed
S14	6	23	1999	42	24	50	38	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0		110	hook swallowed
S14	6	23	1999	42	24	50	38	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0		125	hook swallowed, seemed in very bad shape
S10	1	27	1999	28	0	79	25	Leatherback	alive, injured	flipper	0	1	6	200	hooked in right pectoral fin
S10	1	30	1999	28	0	79	25	Leatherback	alive, injured	head/neck (external)	0	0	12	200	hooked by mouth
P43	3	1	1999	26	14	91	34	unknown	other, unknown	unknown other	0	1	20		tangled, maybe hooked but not in mouth
N34	2	27	1999	20	29	73	50	Loggerhead	alive, injured	unknown beak/mouth	0	0	1	70	hooked in mouth
N34	2	28	1999	20	25	75	50	Loggerhead	alive, injured	unknown beak/mouth	0	0	3	80	hooked in mouth
N34	2	28	1999	20	25	75	50	Loggerhead	alive, uninjured	not hooked		1	0	85	entangled in flipper, all line removed
N34	3	1	1999	20	27	73	50	Leatherback	alive, injured	unknown beak/mouth	0	0	2	100	hooked in mouth
N34	3	4	1999	20	25	73	52	Loggerhead	alive, injured	unknown beak/mouth	0	0	2	100	hooked in mouth
N34	3	4	1999	20	27	73	50	Leatherback	alive, injured	flipper	0	0	2	110	hooked in left front flipper
N34	3	9	1999	20	25	73	52	Loggerhead	alive, injured	unknown beak/mouth	0	0	3	65	hooked in mouth

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear additional comments
											hook removed	entangled			
W03	4	22	1999	28	37	79	29	Leatherback	alive, injured	unknown beak/mouth	0	0	9	160	hooked in mouth
Q09	8	11	1999	31	45	79	5	Leatherback	alive, uninjured	unknown other	0	0	60		dove as boat approached, line cut at clip, not known tangled or hooked
F69	7	16	1999	45	45	43	1	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	71	mouth hooked
F69	7	16	1999	45	45	43	0	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	56	mouth hooked
F69	7	16	1999	45	45	43	4	Loggerhead	alive, injured	unknown beak/mouth	1	0	0	51	mouth hooked
F69	7	17	1999	46	4	43	35	Loggerhead	alive, injured	unknown beak/mouth	0	0	4	64	mouth hooked
F69	7	17	1999	46	4	43	35	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	71	mouth hooked
F69	7	17	1999	46	4	43	35	Loggerhead	alive, injured	flipper	0	0	0	48	
F69	7	19	1999	46	6	43	14	Loggerhead	alive, injured	unknown beak/mouth	1	0	0	46	mouth hooked
F69	7	19	1999	46	6	43	14	Loggerhead	alive, injured	unknown beak/mouth	0	0	3	66	mouth hooked
F69	7	19	1999	46	6	43	14	Loggerhead	alive, injured	unknown beak/mouth	0	0	3	71	mouth hooked
F69	7	19	1999	46	6	43	14	Leatherback	alive, injured	unknown beak/mouth	0	0	12	183	mouth hooked
F69	7	19	1999	46	6	43	14	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	71	mouth hooked
F69	7	20	1999	46	6	43	1	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	69	mouth hooked
F69	7	20	1999	46	6	43	1	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	69	mouth hooked
F69	7	20	1999	46	6	43	1	Loggerhead	alive, injured	unknown beak/mouth	0	0	2	71	mouth hooked
F69	7	20	1999	46	6	43	1	Leatherback	alive, uninjured	not hooked		1	0	168	tangled in radio buoy drop rope, untangled completely
F69	7	21	1999	45	59	42	46	Leatherback	alive, injured	flipper	0	0	9	183	
F69	7	21	1999	45	59	42	46	Leatherback	alive, injured	unknown beak/mouth	0	0	10	152	mouth hooked
F69	7	21	1999	45	59	42	46	Loggerhead	alive, injured	unknown beak/mouth	0	0	4	69	mouth hooked
F69	7	21	1999	45	59	42	46	Leatherback	alive, injured	flipper	0	1	12	168	
F69	7	22	1999	42	2	42	36	Loggerhead	other, unknown	unknown other					66 did not see capture or release
F69	7	22	1999	46	2	42	36	Leatherback	other, unknown	unknown other					168 did not see capture or release, id by captain
F69	7	22	1999	46	2	42	36	Leatherback	other, unknown	unknown other					168 did not see capture or release
F69	7	22	1999	46	2	42	36	Leatherback	alive, injured	unknown beak/mouth	0	0	12	183	mouth hooked
F69	7	22	1999	46	2	42	36	Leatherback	other, unknown	unknown other					183 did not see capture or release
F69	7	22	1999	46	2	42	36	Leatherback	alive, uninjured	not hooked		1	0	168	tangled in mainline, line cut
F69	7	26	1999	46	18	42	39	Loggerhead	alive, injured	unknown beak/mouth	0	0	4	66	mouth hooked
F69	7	27	1999	46	9	42	21	Loggerhead	alive, injured	head/neck (external)	0	0	8	183	

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear additional comments
											hook removed	entangled			
F69	7	28	1999	46	9	41	53	Loggerhead	alive, injured	unknown other	0	0	18	183	did not see capture
F69	7	28	1999	46	9	41	53	Loggerhead	alive, injured	unknown beak/mouth	0	0	3	66	mouth hooked
F69	7	28	1999	46	9	41	53	Leatherback	other, unknown	unknown other				168	did not see capture or release
F69	7	28	1999	46	9	41	53	Leatherback	other, unknown	unknown other				122	did not see capture or release
F69	7	28	1999	46	9	41	53	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	64	mouth hooked
F69	7	28	1999	46	9	41	53	Leatherback	alive, uninjured	not hooked		1	24	168	tangled in mainline and buoy drop;untangled from mainline,but bullet buoy and buoy drop remained tangled on animal
F69	7	29	1999	46	0	41	33	Loggerhead	alive, injured	unknown beak/mouth	0	0	4	69	mouth hooked
F69	7	29	1999	46	0	41	33	Loggerhead	alive, injured	unknown beak/mouth	0	0	4	61	mouth hooked
F69	7	29	1999	46	0	41	33	Loggerhead	other, unknown	unknown other				64	did not see capture or release
F69	7	29	1999	46	0	41	33	Loggerhead	alive, injured	unknown beak/mouth	0	0	3	56	mouth hooked, animal remained on the surface of the water
F69	7	29	1999	46	0	41	33	Leatherback	alive, uninjured	not hooked		1	0	152	mainline tangled around neck,untangled from mainline,remained on the surface with head above surface
F69	7	29	1999	46	0	41	33	Leatherback	alive, injured	unknown other	0	0	12	168	hooked unknown, remained just below surface
F69	7	29	1999	46	0	41	33	Leatherback	alive, injured	flipper	0	0	12	183	
F69	7	29	1999	46	0	41	33	Leatherback	alive, uninjured	not hooked		1	0	168	tangled in mainline around neck and flipper, untangled completely
F69	7	29	1999	46	0	41	33	Leatherback	alive, injured	flipper	0		12	168	
F69	7	29	1999	46	0	41	33	Leatherback	other, unknown	unknown other				168	did not see capture or release
F69	7	29	1999	46	0	41	33	Leatherback	alive, injured	not hooked		1	0	152	tangled in mainline,gangion line and buoy drop,line cut at boat side
F69	7	30	1999	46	11	41	51	Leatherback	alive, injured	unknown beak/mouth	0	0	10	183	mouth hooked
F69	7	30	1999	46	11	41	51	Loggerhead	alive, injured	unknown beak/mouth	0	0	6	66	mouth hooked
F69	7	30	1999	46	11	41	51	Leatherback	alive, injured	flipper	0	0	5	183	flipper hooked
F69	7	30	1999	46	11	41	51	Leatherback	alive, injured	flipper	0	0	6	183	flipper hooked
F69	7	31	1999	46	5	41	33	Leatherback	other, unknown	unknown other				168	did not see capture or release
F69	7	31	1999	46	5	41	33	Leatherback	alive, injured	flipper	0	0	15	168	flipper hooked

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear
											hook removed	entangled			additional comments
F69	7	31	1999	46	5	41	33	Leatherback	alive, uninjured	not hooked		1	0	183	tangled in drop buoy, cut loose completely
F69	8	3	1999	46	15	41	54	Leatherback	alive, injured	flipper	0	0	6	152	flipper hooked
F69	8	3	1999	46	15	41	54	Loggerhead	alive, injured	unknown beak/mouth	0	0	5	71	mouth hooked
S17	10	2	1999	28	1	79	38	Loggerhead	alive, injured	beak/mouth	0	0	6	100	hooked in mouth
S18	10	22	1999	31	36	78	50	Loggerhead	alive, injured	beak/mouth	0	0	6	110	hooked in mouth
W07	10	21	1999	39	53	69	51	Loggerhead	alive, injured	beak/mouth	0	0	2	75	hooked in tongue
W07	10	21	1999	39	53	69	51	Loggerhead	alive, injured	unknown beak/mouth	1	0	0	75	spit hook out of mouth
W07	10	21	1999	39	53	69	51	Leatherback	alive, injured	flipper	0	0	2	135	hooked in right front flipper
M01018	1	16	2000	18	6	54	52	Loggerhead	alive, injured	head/beak	0	0	0.5	95	beak hooked;swam away strongly
M01018	1	18	2000	17	52	53	45	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	1	90	gut hooked;swam away strongly
T01049	1	19	2000	27	50	91	21	Loggerhead	alive, injured	unknown other	0	0	210		condition unknown
M01018	1	22	2000	17	55	53	8	Loggerhead	alive, injured	flipper	0	0	0.5	90	LF flipper hooked;swam away strongly
M01018	1	22	2000	17	56	53	8	Loggerhead	alive, injured	head/beak	0	0	0.2	90	beak hooked;swam away strongly
M01018	1	23	2000	18	20	53	20	Leatherback	alive, injured	unknown other	0	0	20	180	large turtle could not be brought alongside;not hooked in head
S01022	2	12	2000	28	15.5	74	10.7	Loggerhead	alive, injured	unknown other	2	0	?	60	minor injury caused by hook;hook in mouth,not past cavity,lengths estimated; ventral side not seen
S01023	3	8	2000	31	54.2	78	50.1	Leatherback	alive, injured	beak/mouth	0	0	10	150	hooked in mouth;swam off readily
S01023	3	9	2000	31	51.2	78	42.1	Leatherback	alive, injured	beak/mouth	0	0	30	170	hooked in mouth;lip shank visible; released alive and energetic
Q02005	3	21	2000	27	35.3	90	9.9	Leatherback	alive, injured	flipper	0	0	5	122	hooked in RF flipper
Q02005	3	22	2000	27	38.2	90	3.6	Loggerhead	alive, injured	head/beak	0	0	3	90	released with hook inside of beak
R01005	4	15	2000	28	28	79	3	unknown	alive, injured	ingested (throat/esophagus)	0	0	0	0	unidentified due to dangerous weather and conditions;fairly sure it was loggerhead
R01005	4	17	2000	28	16	78	55	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	6	125	
S01025	4	18	2000	28	39.1	79	3.8	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	6	100	hooked in throat;exhibited some difficulty breathing;swam off readily

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear
											hook removed	entangled			additional comments
S01025	4	21	2000	28	43.1	78	45.7	Loggerhead	alive, injured	beak/mouth	0	0	2	140	hooked in mouth;shank fully visible; seemed fine
A25006	4	22	2000	36	8	74	39	Loggerhead	alive, injured	unknown other	1	0	0	61	came off hook and swam away as it was pulled to boat head first
P01055	5	16	2000	26	50	89	34	Leatherback	alive, injured	carapace/plastron	0	0	1		Overy strong;appeared healthy; hooked under edge of shell midway,right side
J02001	5	28	2000	31	40	78	40	unknown	alive, injured	unknown other	0	1	6	90	leader was wrapped around LR flipper; when it broke there was ~6' of line and a dead dolphin fish attached but turtle swam away fine;unsure about i.d.
J02001	5	29	2000	31	45	79	40	Loggerhead	alive, injured	beak/mouth	0	0	1	70	hooked in top of mouth;line cut as close to mouth as possible but could not remove hook without further injuring turtle;swam away and seemed fine
K02001	5	31	2000	28	5	79	30	unknown	alive, injured	beak/mouth	1	0	0	90	hooked in mouth;not entangled;freed itself at boat;no gear attached when dove
P01056	6	5	2000	27	11	91	22	Leatherback	alive, injured	beak/mouth	0	0	1	140	
P01056	6	7	2000	27	7	89	30	unknown	alive, injured	unknown beak/mouth	0	0	12	0	turtle pulled hard against leader
P01056	6	11	2000	26	29	90	11	unknown	alive, injured	unknown other	0	0	20	0	turtle not brought close enough to ascertain condition,except it was alive
B56038	6	11	2000	37	56	68	46	Leatherback	alive, injured	unknown other	0	1	45	120	turtle surfaced ~15 yds from vessel;cannot see where hooked; line cut;swam away uninjured
P01056	6	12	2000	26	58	89	46	Leatherback	alive, injured	carapace/plastron	0	0	3	120	released at boat; short line; swam away strongly
P01056	6	14	2000	27	23	89	50	Leatherback	alive, injured	beak/mouth	0	0	2	120	hook in joint of jaws

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear	
											hook removed	entangled			additional comments	
J02003	7	12	2000	43	35	45	30	Loggerhead	alive, injured	beak/mouth	0	0	0	0	53	hooked in front of beak;netted and brought on board;biopsy punch sample of RR flipper;cut line from hook and left hook in turtle;swam away strongly
J02003	7	12	2000	43	31	45	37	Loggerhead	alive, injured	flipper	1	0	0	0	51	hooked in RF flipper;biopsy in RR flipper;tagged,measured;removed hook and line;seemed fine at release
J02003	7	12	2000	43	31	45	38	Loggerhead	alive, injured	beak/mouth	1	0	0	0	59	hooked in beak;biopsied and tagged RR flipper;hook and line removed;swam away strong
J02003	7	15	2000	43	11	51	20	Leatherback	alive, injured	flipper	0	0	4	120	caused a large tangle in the gear;hooked in the RF flipper and was pulling hard;swam away quickly	
J02003	7	15	2000	43	13	51	24	Leatherback	alive, injured	flipper	0	0	0	150	hooked in right shoulder;leader broke at hook;quickly swam away	
J02003	7	30	2000	48	40	43	4	Leatherback	alive, injured	flipper	0	0	2	120	hooked in right front shoulder;swam away quickly	
Q02009	7	31	2000	26	39	92	29.1	Leatherback	alive, injured	head/neck (external)	0	0	4	122	injury considered minor;likely to survive;hooked in ventral neck area near carapace;swam away actively;no tags noticed;sub-adult	
J02003	8	2	2000	49	25	42	27	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	0	55	swallowed bait (squid);brought on board in net; measured, tagged, biopsied each rear flipper;line cut even with mouth; id according to guide book
J02003	8	2	2000	49	25	42	24	Leatherback	alive, injured	unknown other	0	0	5	150	came up for air during haul-in; positive id; swam under boat and did not resurface; broke leader ~3' below swivel and swam away; believed foul hooked from the way it was pulling	

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear
											hook removed	entangled			additional comments
P01057	8	4	2000	26	19	90	58	Leatherback	alive, injured	carapace/plastron	0	0	2	130	turtle was very stong;had difficulty bringing close enough to release
O02008	8	7	2000	40	51.9	66	9.2	Loggerhead	alive, uninjured	beak/mouth	1	0	0	72	F1 tagged and released;sample LR flipper; hook easily removed as it was held in the mouth; no hook penetration; no gear attached; swam away strongly
P01057	8	7	2000	26	51	92	13.2	Leatherback	alive, injured	carapace/plastron	0	0	20	130	turtle extremely strong and heavy;could not get turtle to surface
P01057	8	7	2000	26	51	92	13	Leatherback	alive, injured	carapace/plastron	0	0	2	130	turtle released by side of vessel; very good condition; did not set this area again
T01054	8	9	2000	39	54	68	48	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	1	61	throat hooked;6" leader left attached
W01013	8	9	2000	39	55	69	20	Loggerhead	alive, uninjured	unknown other	0	0	0	45	believed not hooked,just feeding on bait,or spat out hook;turtle closely associated with gear;believed initially on the leader,came to surface at the stern because vessel stopped to pull on leader;spat out bait or escaped gear;swam away
T01054	8	10	2000	40	4	68	40	Loggerhead	alive, injured	beak/mouth	0	0	0	80	no leader;9/0 hook left
T01054	8	11	2000	40	1	68	37	Leatherback	alive, injured	flipper	0	0	0	152	excellent condition;no leader
W01013	8	11	2000	39	52	70	28	Loggerhead	alive, injured	beak/mouth	0	0	60	60	
T01054	8	12	2000	40	0	68	59	Loggerhead	other, unknown	unknown other	2	2	0	76	recorded on individual animal log;life history form not filled out at time of data submission;observer could not remember details of gear interaction during followup questioning
T01054	8	16	2000	40	36	66	50	Loggerhead	alive, injured	beak/mouth	0	0	2	90	
W01013	8	20	2000	39	40	72	3	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	1	50	
W01013	8	22	2000	39	47	71	36	Loggerhead	alive, injured	ingested (throat/esophagus)	0	2	45	0	

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear	
											hook removed	entangled			additional comments	
M01020	8	25	2000	46	17.1	44	54.3	Loggerhead	alive, injured	ingested (throat/esophagus)	1	0	0	0	0	Obiopsy collected from rear flipper; hook removed; very little bleeding; swam away strongly
M01020	8	27	2000	44	54.8	47	3.3	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	0	0	Obiopsy collected from rear flipper; gut hooked beyond view in oesophagus; no bleeding; leader cut inside mouth; swam away strongly
M01020	8	28	2000	44	42.5	47	23	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	0	0	Obiopsy "C-10" collected from rear flipper;hook beyond view in oesophagus;no bleeding;leader cut deep inside mouth;swam away vigorously
M01020	8	30	2000	44	44.2	48	23	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	0	0	Ohook in oesophagus,unseen;no bleeding;leader cut as far down throat as could be reached with cutters;biopsy "C-1" collected from rear flipper;more lethargic than turtles taken in warmer water;temp@ take 60.2F; temp@ release 61.2F;swam vigorously
M01020	9	3	2000	43	20.6	51	30.5	Loggerhead	alive, injured	beak/mouth	1	0	0	0	0	Odipnetted aboard;lightly hooked in beak;hook easily removed with no bleeding with little injury;biopsy "C-8";take temp 69.8F;release temp 69.9F;swam away vigorously
S01028	9	4	2000	31	28	79	1	Loggerhead	other, unknown	unknown other	2	2	40	90	90	leader broke before turtle was close enough to accurately assess consition or hook location;alive and appeared robust

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear
											hook removed	entangled			additional comments
J02004	9	20	2000	39	56	70	41	Loggerhead	alive, injured	beak/mouth	0	0	1	60	saw hooked through in lower jaw; line cut close to hook; swam away; ~60-70 lbs; hooked on single leader with no entanglement; positive id
J02004	9	21	2000	39	47	71	20	Loggerhead	alive, injured	beak/mouth	0	0	1	60	turtle came up on single leader and was hooked in the mouth; brown on top; yellow on bottom; square head; positive l.d.; ~2' carapace length; line cut close to mouth; swam away
J02004	9	21	2000	39	46	71	34	Loggerhead	alive, injured	beak/mouth	0	0	1	45	hooked in the mouth on single leader; brown on top and yellow on bottom; hook stuck out from bottom of jaw; line cut and swam away; positive id
W01014	9	22	2000	39	53	68	27	Loggerhead	alive, injured	beak/mouth	0	0	1	50	swam away strongly upon release
J02004	9	22	2000	39	49	71	44	Loggerhead	alive, injured	beak/mouth	0	0	1	60	hooked in the mouth on single leader; swam away looking fine
J02004	9	23	2000	39	50	71	48	Loggerhead	alive, injured	beak/mouth	0	0	1	75	hooked in right lower jaw; swam away quickly with short piece of line sticking out of mouth
T01055	10	6	2000	37	20	74	20	Leatherback	alive, injured	flipper	0	0	3	152	right flipper hooked; 3' 400lb mono leader left attached; swam off in excellent condition
T01055	10	6	2000	37	22	74	20	Loggerhead	alive, injured	beak/mouth	0	0	6	120	swam away in good condition with 6' 400 lb line and leader
T01055	10	6	2000	37	25	74	20	Loggerhead	alive, injured	beak/mouth	0	0	5	100	swam off in excellent condition with 5' 400 lb line and leader attached
J02005	10	19	2000	45	29	45	21	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	61	swallowed single hook; line cut even with mouth and released; swam away quickly; took 2 bio-tissue samples, one from each rear flipper

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear
											hook removed	entangled			additional comments
J02005	10	19	2000	45	26	45	20	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	65	swallowed hook of single leader;reddish brown with algae al over shell;square head and 2 claws on each rear flipper;tissue sample from LR flipper;line cut even with mouth and released;swam straight down
J02005	10	19	2000	45	23	45	18	Leatherback	alive, injured	head/neck (external)	0	0	3	120	foul hooked under mouth;swam away as soon as leader cut
J02005	10	19	2000	45	24	45	18	Loggerhead	alive, injured	beak/mouth	1	0	0	59	hooked in the mouth on a single leader;hook removed, tagged, sample removed from RR flipper;seemed fine;swam away
J02005	10	19	2000	45	23	45	18	Loggerhead	alive, injured	beak/mouth	1	0	0	55	hooked on a single leader with hook in mouth;swam away quickly and seemed unharmed
J02005	10	24	2000	46	1	44	3	Loggerhead	alive, injured	beak/mouth	1	0	0	56	biopsy sample from RR flipper;seemed fine as it swam away
J02005	10	24	2000	46	0	44	3	Loggerhead	alive, injured	ingested (throat/esophagus)	0	0	0	61	swallowed hook of single leader;sampld RR flipper;cut leader inside mouth and released;swam away fast
J02005	10	24	2000	45	59	44	7	Loggerhead	alive, injured	beak/mouth	1	0	0	41	hooked in the mouth on single leader;turtle missing lower right part of dorsal shell,but the skin underneath was healed with no open wounds;bottom shell not damaged;might have been hit by boat in the past;hook easily removed;swam away fine
J02005	10	31	2000	41	36	51	9	Leatherback	alive, injured	flipper	0	0	1	120	hooked in RF flipper; caught on single leader;leader cut;swam away

trip	m	d	y	lat deg	lat min	lon deg	lon min	species	condition	hook location	No/Yes/Unknown 0/1/2		line left (ft)	CL (cm)	LF=left front RF=right front LR=left rear RR=right rear
											hook removed	entangled			additional comments
J02005	10	31	2000	41	38	51	14	Leatherback	alive, injured	flipper	0	0	3	150	very large;foul hooked in the right shoulder on a single leader;pulled hard on line;line cut and it dove under boat immediately
J02005	10	31	2000	41	39	51	17	Leatherback	alive, injured	flipper	0	0	1	120	hooked in bottom of RF flipper on single leader;line cut and swam away fine
S01031	11	6	2000	26	46.2	79	53.8	Loggerhead	alive, injured	beak/mouth	0	0	3	80	hooked in side of beak; entire hook visible; leader cut close to animal; swam away strongly
S01031	11	8	2000	31	54	79	40.1	Loggerhead	alive, injured	flipper	0	0	6	80	hooked in LF flipper;leader cut;swam away strongly
S01031	11	10	2000	31	39.1	79	15.3	Leatherback	alive, uninjured	unknown other	1	0	0	150	turtle escapes,pulling out hook;no gear left on turtle;little apparent injury;associated with leader but leader unhooked while pulled towards the boat;swam away strongly
J02005	11	10	2000	40	47	66	36	Leatherback	alive, injured	head/neck (external)	0	1	1	120	foul hooked in the neck and tangled in a bullet drop; removed all tangled line; swam away
J02005	11	13	2000	40	49	66	35	Leatherback	alive, injured	unknown other	0	0	1	150	unable to confirm id from photos;foul hooked in LF flipper;swam away strongly; seemed unharmed
K02003	12	11	2000	40	32	66	59	Loggerhead	alive, injured	beak/mouth	0	0	0	45	brought to boat side on hook;line cut at eye of hook which was in beak;swam away quickly
S01032	12	13	2000	28	24.3	78	15.1	Leatherback	alive, injured	flipper	0	0	6	160	hooked LF flipper;released in good condition;black